

| | | | | | | |
|-----|-------|---|---|-----|----|------------------|
| L19 | 23389 | I16 and I17 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:20 |
| L20 | 78 | I18 and I19 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:21 |
| L21 | 230 | waveform digitizer | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:22 |
| L22 | 1 | I20 and I21 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:21 |
| L23 | 16194 | digitizer | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:22 |
| L24 | 11 | I23 and I20 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:33 |
| L25 | 8922 | 714/724 or 714/738 or 714/699 or 714/733 or 714/734 or 702/108 or 702/112 or 702/124 or 702/57 or 702/70 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:36 |
| L26 | 1 | I24 and I25 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:32 |

| | | | | | | |
|-----|--------|--|---|-----|----|------------------|
| L27 | 3 | I25 and I20 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:40 |
| L28 | 76 | I25 and I19 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:41 |
| L29 | 147812 | signal generator or waveform generator | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:41 |
| L31 | 14 | I28 and I29 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:42 |

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|---------------------------------------|---|------------------|---------|------------------|
| L1 | 1 | MIMO chip | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:10 |
| L2 | 284575 | mixed-signal system-on-chip or SOC\$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:11 |
| L3 | 222 | mixed signal IC\$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:11 |
| L4 | 1 | testing and (next-generation SOC\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:12 |
| L5 | 15550 | single integrated circuit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:13 |
| L6 | 284750 | I2 or I3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:14 |
| L7 | 299863 | I5 or I6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:14 |
| L8 | 1 | next-generation SOC\$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:14 |

| | | | | | | |
|-----|---------|---|---|-----|----|------------------|
| L9 | 21 | on-chip integrated system | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:15 |
| L10 | 2 | on-chip integrated excitation/extraction system | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:15 |
| L13 | 47 | I2 and I3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:16 |
| L14 | 1 | I13 and I5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:16 |
| L15 | 871884 | test\$3 and measur\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:17 |
| L16 | 82156 | I15 and (I13 or I7 or I9 or 10) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:18 |
| L17 | 2195380 | (CUT or circuit under test or DUT or device under test or UUT or unit under test) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:19 |
| L18 | 17152 | waveform generator or reference voltage generator | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/01/23 13:19 |